



Drawing name: M:\Engineering Services\Engineering Design Projects\RESOURCE References\WCC Standard Drawings\SD11-5B.dwg (28 May, 2024)



PROFILE



ELEVATION

FENCE REQUIREMENTS

ITEM	MATERIAL
POSTS	125 x 75 RED GUM
RAILS	75 x 50 TREATED PINE
PLINTHS	150 x 25 TREATED PINE
PALINGS	12 THICK TREATED PINE
FOOTING	300Ø X 650 CONCRETE FOOTING

- NOTES:
1. CONCRETE STRENGTH OF 20MPa AT 28 DAYS.
 2. FENCES OVER 2m IN HEIGHT WILL REQUIRE A BUILDING PERMIT.
 3. SLURRY MIXES (EG. A COMBINATION OF CONCRETE AND SOIL) ARE NOT PERMITTED UNDER ANY CIRCUMSTANCES.

REV	AMENDMENTS	APPROVAL	DATE
B	EDITED (20MPa) MINOR DRAFTING MODIFICATIONS		17-07-2007
C	UPDATED TO REFLECT CURRENT STANDARDS	M.BRIGANDI	21-05-24

STANDARD DETAILS FOR ALL COUNCIL SHARED FENCING



45 PRINCES HIGHWAY
WERRIBEE, VIC 3030

TEL: 1300 023 411
wyndham.vic.gov.au

CAD FILE: SD11-5B.DWG

DRAWN DATE: FEB 2024

REVISION: C

DRAWING NO.:

SD11-5B

GENERAL NOTES:

- DRAWINGS ARE NOT TO SCALE.
- ALL MEASUREMENTS ARE IN MILLIMETERS UNLESS OTHERWISE STATED.
- FOR UP TO DATE DRAWINGS PLEASE CHECK WYNDHAM CITY COUNCIL WEBSITE.
- ALL STANDARD DRAWINGS TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).